Police Department Southern Illinois University Edwardsville Police Activity Blotter

FIRE ALARM 07/01/2021 09:58

2021-00013004 Location: 501 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to workers working on the ceiling fan. No fire, no smoke, no damage.

WARNING - EXPIRED REGISTRATION 07/01/2021 12:59

2021-00013012 Location: NEW POAG RD NEAR STADIUM DR

WARNING – NO TURN SIGNAL 07/01/2021 21:12 2021-00013035 Location: N UNIVERSITY DR NEAR NEW POAG RD Warning also issued for Expired Registration.

FIRE ALARM 07/01/2021 21:58

2021-00013038 Location: 409 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to cooking. No fire, some smoke, no damage.

WARNING - SPEEDING 07/02/2021 00:01 2021-00013044 Location: N UNIVERSITY DR NEAR N RESEARCH DR

FIRE ALARM 07/02/2021 10:23

2021-00013073 Location: 507 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to an unknown problem. No fire, no smoke, no damage.

FIRE ALARM 07/02/2021 17:29

2021-00013090 Location: 524 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to paint fumes. No fire, no smoke, no damage.

WARNING - SPEEDING 07/03/2021 20:22 2021-00013148 Location: CIRCLE DR NEAR NW UNIVERSITY DR

SPEEDING 07/03/2021 23:53 2021-00013158 Location: N UNIVERSITY DR NEAR P2 RD State citation issued for Tyler B. Taylor. Warning also issued for No Valid DL.

ASSIST OTHER POLICE AGENCY (GLEN CARBON PD) 07/04/2021 01:24

2021-00013165 Location: 507 COUGAR LAKE DR Officer assisted Glen Carbon PD with searching female subjects with negative results.

CRIMINAL DAMAGE TO PROPERTY 07/05/2021 02:03

2021-00013214 Location: PARKING LOT 4A Officer took a report regarding a vehicle window being damage while parked in the parking lot.

FIRE ALARM 07/05/2021 11:39

2021-00013225 Location: 408 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to cooking. No fire, no smoke, no damage.

WARNING - DISOBEY STOP SIGN 07/05/2021 22:43

2021-00013256 Location: CIRCLE DR NEAR WHITESIDE RD

ASSIST OTHER POLICE AGENCY (ALTON PD) 07/06/2021 07:51

2021-00013283 Location: OUTSIDE VENUE, ALTON Officer assisted Alton PD with traffic control while Alton PD took a subject into custody.

SCOFFLAW PARKING VIOLATION 07/06/2021 09:18

2021-00013290 Location: PARKING LOT 7

WARNING - DISOBEY STOP SIGN 07/06/2021 18:20

2021-00013314 Location: CIRCLE DR NEAR WHITESIDE RD

FIRE ALARM 07/06/2021 20:00

2021-00013325 Location: 411 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to an unknown reason. No fire, no smoke, no damage.

INFORMATIONAL 07/08/2021 09:22

2021-00013419 Location: 99 SUPPORTING SERVICES DR, POLICE DEPARTMENT Officer took a report regarding an employee stating that she was receiving phone calls and text messages from a contractor and wanted the SIUE PD to be inform. Officer advised the incident took place outside of SIUE. Troy PD was contacted for a full report.

FIREWORKS 07/08/2021 21:29

2021-00013447 Location: 400 SIDE COUGAR LAKE DR Officer advised there was a subject that was lighting fireworks off in Cougar Village. Officer advised subject that fireworks were not allowed on campus. Officer took possession of the fireworks. Subject left without incident.

WARNING - SPEEDING 07/09/2021 01:03 2021-00013458 Location: N UNIVERSITY DR NEAR NEW POAG RD

ASSIST OTHER POLICE AGENCY (GLEN CARBON PD) 07/09/2021 01:15

2021-00013459 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Glen Carbon PD with searching a female subject with negative results.

WARNING - SPEEDING 07/09/2021 12:30 2021-00013486 Location: N UNIVERSITY DR NEAR LEWIS RD

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE) 07/09/2021 22:25

2021-00013509 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with backup on an incident that occurred in their venue.

WARNING - EXPIRED REGISTRATION 07/10/2021 18:57

2021-00013572 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR

WARNING - EXPIRED REGISTRATION 07/10/2021 19:26

2021-00013576 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR

WARNING - SPEEDING 07/10/2021 20:14

2021-00013579 Location: SIU NOTHERN ACCESS RD NEAR NEW POAG RD

WARNING - DRIVING WITHOUT LIGHTS 07/10/2021 23:39

2021-00013592 Location: COUGAR LAKE DR NEAR N UNIVERSITY DR

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE PD) 07/11/2021 04:17

2021-00013605 Location: OUTSIDE VENUE, EDWARSVILLE Officer assisted Edwardsville PD with trying to locate subject in a vehicle. Officer advised the subject nor the vehicle were located.

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE PD) 07/11/2021 21:58

2021-00013657 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with locating a subject in the MCT parking lot. Officer advised subject that the lot was closed at night. Subject left area without incident.

POSSESSION OF DRUG PARAPHERNALIA 07/12/2021 13:21

2021-00013704 Location: 50 RESIDENCE DR, PRAIRIE HALL Officer responded to a report of a found item. Officer advised the item was drug paraphernalia. Item was destroyed at the Police Department.

FIRE ALARM 07/12/2021 15:06

2021-00013708 Location: 421 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to cooking. No fire, no smoke, no damage.

WELFARE CHECK 07/12/2021 19:37

2021-00013715

Location: PARKING LOT 4C Officer responded to a report of a female subject laying on the ground. Officer made contact with subject. Subject did not need police assistance.

WELFARE CHECK 07/12/2021 23:04

2021-00013725 Location: ALTON GENERAL GROUNDS Officer responded to a report of a male subject laying on the ground. Officer made contact with subject. Subject did not need police assistance and left area without incident.

ASSIST OTHER POLICE AGENCY (ALTON PD) 07/13/2021 22:01

2021-00013779 Location: ALTON GENERAL GROUNDS Officer assisted Alton PD with crowd control regarding an incident that the Alton PD was handling.

FIRE ALARM 07/14/2021 07:56

2021-00013799 Location: 407 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to an unknown reason. No fire, no smoke, no damage.

FOUND iPAD 07/15/2021 11:32 2021-00013918 Location: 6 ARBORETUM LN, THE GARDENS

WARNING - ONE HEADLIGHT 07/15/2021 22:56 2021-00013954 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR Warning also issued for Expired DL.

WARNING - ONE HEADLIGHT 07/15/2021 23:29

2021-00013959 Location: E UNIVERSITY DR NEAR N UNIVERSITY DR

FIRE ALARM 07/16/2021 12:07 2021-00013998 Location: 402 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to an unknown reason. No fire, no smoke, no damage.

FOUND KEYS 07/16/2021 15:40 2021-00014004 Location: 50 HAIRPIN DR, DUNHAM HALL

WARNING - DRIVING WITHOUT HEADLIGHTS 07/17/2021 23:01

2021-00014078 Location: COUGAR LAKE DR NEAR ARBORETUM LN

FIRE ALARM 07/18/2021 10:31 2021-00014102 Location: 60 HAIRPIN DR, MORRIS UNIVERSITY CENTER Officer responded to an active fire alarm. Officer advised the alarm was activated due to an unknown reason. No fire, no smoke, no damage.

ASSIST OTHER AGENCY (PARKING SERVICES) 07/19/2021 12:24

2021-00014179 Location: PARKING LOT 4A Officer assisted Parking Service with confiscating an invalid hangtag from a vehicle.

ASSIST OTHER POLICE AGENCY (GLEN CARBON PD) 07/19/2021 14:43

2021-00014189 Location: OUTSIDE VENUE, GLEN CARBON Officer assisted Glen Carbon PD with traffic control.

SPEEDING 07/20/2021 14:19 2021-00014263 Location: N UNIVERSITY DR NEW POAG RD State citation issued to Halie L. Harris.

WARNING - SPEEDING 07/20/2021 20:25 2021-00014279 Location: NW UNIVERSITY DR NEAR CIRLCE DR

FIRE ALARM 07/21/2021 11:24

2021-00014316 Location: 8100 BUNKUM RD, BLUFFVIEW HEADSTART Officer responded to an active fire alarm. Officer advised the alarm was activated due to workers working in the building. No fire, no smoke, no damage.

IN-STATE WARRANT ARREST 07/21/2021 15:42

2021-00014326 Location: N UNIVERSITY DR NEAR NEW POAG RD Officer responded to a vehicle fire. Edwardsville Fire Department extinguished the fire. Rachel D. Racadio (33 yoa, 425 California Ave, East Alton, IL) was arrested on a Wood River Police Department warrant for Failure to Appear – Operate Uninsured Motor Vehicle. Subject was transported to the SIUE Police Department where she was fingerprinted, photographed, processed and released after posting \$5000 (10%) bond.

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE PD) 07/22/2021 20:51

2021-00014394 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with trying to locate a subject. Officer advised Edwardsville PD located the subject.

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE PD) 07/22/2021 22:05

2021-00014401 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with crowd control on a call in their venue.

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE PD) 07/22/2021 23:53

2021-00014407 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with apprehending a subject for a call in their venue.

BATTERY 07/232021 12:04

2021-00014453 Location: PARKING LOT 4A Officer responded to a report of two male subjects that were involved in a physical alternation. Officer advised contact was made with bot subjects and there was physical altercation. Officer advised charges would not be filed.

ASSIST OTHER POLICE AGENCY (GLEN CARBON PD) 07/23/2021 22:55

2021-00014483 Location: OUTSIDE VENUE, GLEN CARBON Officer assisted Glen Carbon PD with traffic control on a traffic crash.

DUI 07/24/2021 00:53 2021-00014492 Location: CIRCLE DR NEAR WHITESIDE DR Lisa M. Galati (828 Hawthorne St, Wood River, IL) was arrested for DUI. Subject was transported to the SIUE Police Department where she was fingerprinted, photographed, processed and released with a Notice to Appear. Citations also issued for Disobeying a Traffic Control Device/Sign and Driving on a Suspended DL.

FIRE ALARM 07/24/2021 11:26 2021-00014526 Location: 428 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to cooking. No fire, no smoke, no damage.

ALARM 07/24/2021 13:34

2021-00014529 Location: 44 CIRCLE DR, SCIENCE BUILDING WEST Officer responded to an active eyewash alarm. Officer advised that a subject pulled it to see if it worked. Officer advised there was no smoke, no fire, no damage.

DISOBEY STOP SIGN 07/24/2021 22:00

2021-00014550 Location: NEW POAG RD NEAR N UNIVERSITY DR State citation issued to Natalia C. Fields.

TRAFFIC ACCIDENT - DEER 07/25/2021 00:22

2021-00014562 Location: STADIUM DR NEAR WHITESIDE RD

ASSIST OTHER POLICE AGENCY (ILLINOIS STATE POLICE) 07/26/2021 17:11

2021-00014677 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted ISP trying to locate a possible reckless driver. Officer advised he was unable to locate the vehicle.

SCOFFLAW PARKING VIOLATION 07/27/2021 09:05

2021-00014720 Location: PARKING LOT 4C

FIRE ALARM 07/27/2021 17:27/18:09

2021-00014721/2021-00014722 Location: 401 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to a humidifier. No fire, no smoke, no damage.

WARNING – DISOBEY STOP SIGN 07/28/2021 10:22

2021-00014791 Location: LEWIS RD NEAR N UNIVERSITY DR

WARNING – DISOBEY STOP SIGN 07/28/2021 10:53

2021-00014797 Location: N UNIVERSITY DR NEAR P2 RD

WARNING – SPEEDING 07/28/2021 11:18

2021-00014798 Location: NEW POAG RD NEAR BOHM SCHOOL RD

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE PD) 07/28/2021 13:10

2021-00014803 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with traffic control on a traffic accident.

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE PD) 07/28/2021 13:47

2021-00014805 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with traffic control on a traffic accident.

ASSIST OTHER POLICE AGENCY (GLEN CARBON PD) 07/28/2021 14:09

2021-00014807 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with traffic control on a traffic stop.

ASSIST OTHER POLICE AGENCY (EDWARDSVILLE PD) 07/28/2021

2021-00014803 Location: OUTSIDE VENUE, EDWARDSVILLE Officer assisted Edwardsville PD with trying to locate a subject. Officer did not locate the subject.

FIRE ALARM 07/28/2021 17:40

2021-00014821 Location: 401 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to an unknown reason. No fire, no smoke, no damage.

WARNING - SPEEDING 07/29/2021 07:50

2021-00014864 Location: N UNIVERSITY DR NEAR CIRCLE DR

WARNING - SPEEDING 07/29/2021 08:48

2021-00014870 Location: S UNIVERSITY DR NEAR UNIVERSITY PARK DR

WARNING - SPEEDING 07/29/2021 11:24

2021-00014875 Location: N UNIVERSITY DR NEAR LEWIS RD FIRE ALARM 07/29/2021 14:41 2021-00014886

Location: 403 COUGAR LAKE DR

Officer responded to an active fire alarm. Officer advised the alarm was activated due to cooking. No fire, no smoke, no damage.

FIRE ALARM 07/29/2021 14:58

2021-00014887 Location: 401 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to a faulty detector. No fire, no smoke, no damage.

FIRE ALARM 07/29/2021 16:11 2021-00014890 Location: 410 COUGAR LAKE DR Officer responded to an active fire alarm. Officer advised the alarm was activated due to an unknown reason. No fire, no smoke, no damage.